New Jersey Division of HIV/AIDS Services Persons Living with HIV/AIDS as of December 31, 2005 Black Not Hispanic NJ Residents

		Adult/Adolescent *	Pedi	atric *	:	Total	L
1.	Current HIV/AIDS Category	Cases %	Cases			Cases	%
	AIDS-Any OI AIDS-CD4 Only HIV Only	3008 17 6459 36 8591 48	52 0 172	2 7	23 0 77	3060 6459 8763	17 35 48
	Total	18058 100	224			18282	100
2.	Current Age * Cases %	3. Race/Eth.	Cas	t/Adl* es %	Pediatric	Cases	%
	<pre><5</pre>	White, Not Hispar Black, Not Hispar Hispanic Other/Unknown	nic nic 1805		0 0 224 100 0 0	0 18282 1 0	0 L00 0
	40-49 7507 41 50+ 5560 30 Unk. 0 0 Total 18282 100	Total			224 100		
4.	Patient Group	Males	%	Femal		Tota	L %
	Men sex with men (MSM) Injection drug user (IDU) MSM/IDU Heterosexual contact*** Risk not reported/other***	2271 3581 422 3304 ** 950	22 34 4 31 9	218	0 0 33 30 0 0 10 63	2271 5764 422 7844 1475	13 14 32 2 2 14 44 5 8
	Total		.00		18 100	17776	
		Males	Pediatri % 	Femal	ied Exposu es %	re Categor Total	L %
	Parent at risk/has AIDS/HI Risk not reported/other***	IV 233 ** 17	93 7	24 1	12 95 14 5	475	5 94 L 6

NOTE: Includes only those persons known to be infected with HIV.

Total

- Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.
- Classification based on current age at the end of December 2005.
- ** 282 patients are currently of adult/adolescent age (13+ years old), but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1,2, and 3, and as pediatric reports in table 4.
- *** Included in this category are persons with no other risk identified
 - who had heterosexual contact with partner(s) whose HIV infection risk is undocumented/unknown.

250 100

256 100

506 100

**** Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services AIDS Cases Reported as of December 31, 2005 Black Not Hispanic NJ Residents

	Adult/Adolescent*	Pediatric*	Total
1. Disease Category	Cases (%) Deaths (%)	Cases (%) Deaths (%)	Cases (%) Deaths (%)
PCP Other OI w/o PCP KS Alone No Disease Listed	6857 (26) 5750 (84) 7228 (27) 5767 (80) 225 (1) 178 (79) 12466 (47) 5761 (46)	149 (29)	7006 (26) 5864 (84) 7566 (28) 5959 (79) 225 (1) 178 (79) 12497 (46) 5774 (46)
Total	26776 (100) 17456 (65)	518 (100) 319 (62)	27294 (100) 17775 (65)
2. Age * Cases	% 3. Race/Eth.	Adult/Adl* Pediatric* Cases % Cases %	Total Cases %
Under 5 387	1 White, Not Hispanic	0 0 0 0	0 0

Adult/Adolescent Modified Exposure Categories **

					Adult/	AUI"	Pediati	IC.	IOLAI	
2.	Age *	Cases	용	Race/Eth.	Cases	용	Cases	%	Cases	용
	Under 5	387	1	White, Not Hispanic	0	0	0	0	0	0
	5-12	131	0	Black, Not Hispanic	26776	100	518	100	27294	100
	13-19	132	0	Hispanic	0	0	0	0	0	0
	20-29	3186	12	Other/Unknown	0	0	0	0	0	0
	30-39	11683	43							
	40-49	8560	31	Total	26776	100	518	100	27294	100
	Over 49	3215	12							
	Unknown	0	0							
		27294	100							
	Total	2/294	TUU							

4.	Patient	Group	
----	---------	-------	--

_	Males	%	Females %	Total	%
Men sex with men (MSM)	3226	18	0 0	3226	12
Injection drug user (IDU)	9132	52	4173 46	13305	50
MSM/IDU	920	5	0 0	920	3
Heterosexual contact***	3357	19	4381 48	7738	29
Risk not reported/other***	1042	6	525 6	1567	6
Total	17677	100	9079 100	26756	100

		Pediatri	ic Modified	Exposure	Categories	
	Males	%	Females	%	Total	%
Parent at risk/has AIDS/HIV	253	93	252	95	505	94
Risk not reported/other***	20	7	13	5	33	6
Total	273	100	265	100	538	100

[#] indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.

Classification at time of AIDS diagnosis.

^{** 20} patients were diagnosed with AIDS as adults, but have evidence either of having been HIV-infected or of having acquired AIDS as children. They are counted as adult/adolescent reports in tables 1,2, and 3; and as pediatric reports in table 4.

^{***} Included in this category are persons with no other risk identified

who had heterosexual contact with partner(s) whose HIV infection risk is undocumented/unknown.

 $[\]ensuremath{^{****}}$ Included in this category are persons with transmission categories of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services AIDS Cases Reported as of December 31, 2005 Black Not Hispanic NJ Residents

5. AIDS Cases by Year of Diagnosis.

Year of Diagnosis	Number of Cases	Number of Deaths	Case-Fatality Rate
Before 1985	338	325	96%
1985	408	394	97%
1986	637	604	95%
1987	967	920	95%
1988	1031	971	94%
1989	1360	1249	92%
1990	1376	1260	92%
1991	1470	1360	93%
1992	1901	1689	89%
1993	2767	2244	81%
1994	2272	1701	75%
1995	2149	1356	63%
1996	1884	1004	53%
1997	1512	736	49%
1998	1126	480	43%
1999	1140	433	38%
2000	1127	340	30%
2001	1036	284	27%
2002	899	204	23%
2003	766	129	17%
2004	699	79	11%
2005	429	13	3%
Total	27294	17775	65%

New Jersey Division of HIV/AIDS Services HIV INFECTION-not-AIDS Reports with Identifiers Reported as of December 31, 2005 Black Not Hispanic NJ Residents

					Adult/	Adl*	Pediat	ric*	Total	
1. A	ge *	Cases	%	Race/Ethnicity	Cases	%	Cases	%	Cases	%
-										
U	nder 5	253	2	White, Not Hispanic	0	0	0	0	0	0
5	-12	45	0	Black, Not Hispanic	10157	100	298	100	10455	100
1	3-19	285	3	Hispanic	0	0	0	0	0	0
2	0-29	2159	21	Other/Unknown	0	0	0	0	0	0
3	0-39	3970	38							
4	0-49	2692	26	Total	10157	100	298	100	10455	100
0	ver 49	1051	10							
U	nknown	0	0							
-										
T	otal	10455	100							

3.	Patient Group	Ad	lult/Ado	lescent Modif	ied Exp	osure Categor	ies **
	-	Males	%	Females	_	Total	%
	Men sex with men (MSM)	1223	21	0	0	1223	12
	Injection drug user (IDU)	2066	35	1310	31	3376	33
	MSM/IDU	200	3	0	0	200	2
	Heterosexual contact***	1776	30	2610	61	4386	43
	Risk not reported/other***	634	11	337	8	971	10
	Total	5899	100	4257	100	10156	100
			Pedi	ure Categorie	S		
		Males	8	Females	8	Total	8

139

Classification at time of first HIV+ test.

Parent at risk/has AIDS/HIV

Risk not reported/other****

Total

- # indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.
- ** 1 patients were diagnosed with HIV as adults, but have evidence of having been HIV-infected as children. They are counted as a dult/adolescent reports in tables 1 and 2; and as pediatric reports in table 3.
- *** Included in this category are persons with no other risk identified who had heterosexual contact with partner(s) whose HIV infection risk is undocumented/unknown.

139 97 5 3

144 100

148 95 7 5

155 100

287

12

299 100

96 4

**** Included in this category are persons with transmission categories of coagulation disorder and transfusion with blood/blood products.

NOTE: These tables include those reports of HIV Positive infection that have not yet been updated to AIDS status. Not included in these tables are cases initially reported as HIV-not-AIDS that have subsequently been updated to AIDS. Also not included in these tables are HIV Perinatal Exposure Reports where the serostatus of the child is not confirmed HIV Positive; i.e., the HIV serostatus of the child is undetermined or has been found to be negative (seroreverted).

New Jersey Division of HIV/AIDS Services HIV/AIDS Cases Reported as of December 31, 2005 Black Not Hispanic NJ Residents

					Adult/Adoles	scent *	Ped	diatr	ic *	To	tal	
1.	Current H	IV/AIDS C	ategory	7	Cases	%	Case	es	%	Cases	%	
	AIDS-Any (AIDS-CD4 (HIV Only	OI Only		-	15336 4 11428 3 10157 2	28	-	11 19 98	62 2 36	15847 11447 10455	42 30 28	
	Total				36921 10		82	28	100	37749	100	
							Adult/A	Adl*	Pediat	ric*	To	tal
2.	Age *	Cases	%	3.	Race/Eth.		Cases	%	Cases	%	Cases	%
	Under 5	683	2		White, Not H	Hispanic	0	0	0	0	0	0
	5-12	145	0		Black, Not H	Hispanic	36921	100	828	100	37749	100
	13-19	524	1		Hispanic	-	0	0	0	0	0	0
	20-29	6381	17		Other/Unknow	vn	0	0	0	0	0	0
	30-39	16160	43									
	40-49	10057	27		Total		36921	100	828	100	37749	100
	Over 49	3799	10									
	Unknown	0	0									
	Total	37749	100									

4. Patient Group	Adul	t/Adolesce	nt Modified	d Exposure	Categories	3 **
	Males	%	Females	%	Total	%

Men sex with men (MSM)	4449	19	0	0	4449	12
Injection drug user (IDU)	11198	47	5483	41	16681	45
MSM/IDU	1120	5	0	0	1120	3
Heterosexual contact***	5133	22	6991	52	12124	33
Risk not reported/other***	1676	7	862	6	2538	7
Total	23576	100	13336	100	36912	100

		Pediatric	Modified	Exposure	Categories	
Mal	les	%	Females	%	Total	%
Parent at risk/has AIDS/HIV	392	94	400	95	792	95
Risk not reported/other***	25	6	20	5	45	5
Total	417	100	420	100	837	100

NOTE: Includes only those persons known to be infected with HIV.

- # Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.
- Classification at time of first HIV+/AIDS diagnosis.
- ** 9 patients were diagnosed with HIV/AIDS as adults, but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1,2 and 3; and as pediatric reports in table 4.
- *** Included in this category are persons with no other risk identified
 - who had heterosexual contact with partner(s) whose HIV infection risk is undocumented/unknown.
- $\mbox{\tt ****}$ Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services HIV/AIDS Cases Reported as of December 31, 2005 Black Not Hispanic NJ Residents

5. HIV/AIDS Cases by Year of First HIV/AIDS Diagnosis.

Year of First HIV/AIDS Diagnosis			Case-Fatality Rate
Before 1985	383	351	92%
1985	529	488	92%
1986	842	754	90%
1987	1264	1126	89%
1988	1476	1299	88%
1989	1990	1685	85%
1990	2203	1776	81%
1991	2428	1868	77%
1992	3959	2383	60%
1993	3421	1988	58%
1994	2921	1567	54%
1995	2566	1151	45%
1996	2074	778	38%
1997	1896	597	31%
1998	1531	432	28%
1999	1467	370	25%
2000	1602	295	18%
2001	1356	227	17%
2002	1250	157	13%
2003	1076	111	10%
2004	941	50	5%
2005	574	14	2%
Total	37749	19467	 52%